LIZARD NECROPSY

History		
Name of lizard	Owner's name	Case no
Species	Age	Sex
Performed by	Date of examination	
Date of death	Storage prior to examination	
Give synopsis of history and clinical signs on back of page.		
Remove identification rings and any chips; keep with records.		
Pre-necropsy		
Measurements: rostrum-cloaca	cloaca-tail	
WeightCondition		
Radiological finding:		
Soak the cadaver thoroughly in a solution of Ark-klens.		
Magazza		
Necropsy (NE if not examined, NAD if no abnormalities detected)		
External		
Skin:		
Cloaca:		
Other:		

Internal

- Take swabs as appropriate including heart blood, liver and spleen and kidney parenchyma
- Take sterile smear of heart blood and bone marrow and stain with diff-quik
- Make impression smears of liver, lung, kidney and spleen and stain with gram and diff-quik
- Make impression smears of different parts of intestines
- Put liver, lung, kidney, spleen and intestine in both neutral buffered formalin and frozen in a plain petri-dish
- Remove all viscera in one single piece
- Take a sterile sample of any abnormal gut contents, make a smear in saline
- Wash the gut contents out in saline, examine for signs of parasites
- Inspect the gonads to sex definitively

Respiratory system:
_iver:
Spleen:
Kidney and urinary tract:
Reproductive tract:
Gastrointestinal tract:
Cardiovascular system:
Central nervous system:
Other organs:

Diagnosis / comments

Laboratory investigations Bacteriology: Parasitology: Cytology: Other: (State name of laboratory where samples sent or, if kept, where stored)